

# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

# **Procurement of GOODS**

Government of the Republic of the Philippines

**PR No. 23061617 – Supply and Delivery of Medical Equipment  
(Digital X-Ray Suspended Ceiling Mounted with DR Flat Panel  
Detector (DR System) and PACS (Picture archiving and  
communication system) & 10 others)**

**Sixth Edition  
July 2020**

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>4</b>
<b>Section I. Invitation to Bid.....</b>	<b>7</b>
<b>Section II. Instructions to Bidders.....</b>	<b>8</b>
1. Scope of Bid .....	11
2. Funding Information.....	11
3. Bidding Requirements .....	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices .....	11
5. Eligible Bidders.....	12
6. Origin of Goods .....	12
7. Subcontracts .....	12
8. Pre-Bid Conference .....	12
9. Clarification and Amendment of Bidding Documents .....	12
10. Documents comprising the Bid: Eligibility and Technical Components .....	13
11. Documents comprising the Bid: Financial Component .....	13
12. Bid Prices .....	13
13. Bid and Payment Currencies .....	14
14. Bid Security .....	14
15. Sealing and Marking of Bids .....	14
16. Deadline for Submission of Bids .....	15
17. Opening and Preliminary Examination of Bids .....	15
18. Domestic Preference .....	15
19. Detailed Evaluation and Comparison of Bids .....	15
20. Post-Qualification .....	16
21. Signing of the Contract .....	16
<b>Section III. Bid Data Sheet .....</b>	<b>17</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>19</b>
1. Scope of Contract .....	20
2. Advance Payment and Terms of Payment .....	20
3. Performance Security .....	20
4. Inspection and Tests .....	20
5. Warranty .....	21
6. Liability of the Supplier .....	21
<b>Section V. Special Conditions of Contract .....</b>	<b>22</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>26</b>
<b>Section VII. Technical Specifications .....</b>	<b>27</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>36</b>

# *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# ***Section I. Invitation to Bid***





REPUBLIC OF THE PHILIPPINES  
PROVINCE OF CAMARINES NORTE

Daet

## **BIDS AND AWARDS COMMITTEE**

### **Invitation to Bid for**

### **PR No. 23061617 – Supply and Delivery of Medical Equipment (Digital X-Ray Suspended Ceiling Mounted with DR Flat Panel Detector (DR System) and PACS (Picture archiving and communication system) & 10 others)**

1. The *Provincial Government of Camarines Norte*, through the *General Fund CY 2023 – Capital Outlay* intends to apply the sum of *Fifteen Million Five Hundred Fifty Thousand Pesos (P15,550,000.00)* being the Approved Budget for the Contract (ABC) to payments under the contract for *PR No. 23061617 – Supply and Delivery of Medical Equipment (Digital X-Ray Suspended Ceiling Mounted with DR Flat Panel Detector (DR System) and PACS (Picture archiving and communication system) & 10 others)*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The *Provincial Government of Camarines Norte* now invites bids for the *Supply and Delivery of Medical Equipment (Digital X-Ray Suspended Ceiling Mounted with DR Flat Panel Detector (DR System) and PACS (Picture archiving and communication system) & 10 others)*.

Delivery of the Goods is required within **60 calendar days**. Bidders should have completed, within **5 years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

3. Bidding will be conducted through open competitive bidding procedures using non-discretionary “pass/fail” criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act 9184 (RA 9184), otherwise known as the “Government Procurement Reform Act.”

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

4. Bidders may obtain further information from the *Provincial Government of Camarines Norte* and inspect the Bidding Documents at the address given below from **8:00a.m. to 5:00p.m., Monday to Friday**.
5. A complete set of Bidding Documents may be acquired by interested bidders on **July 25 – August 17, 2023** at the *Provincial Capitol Building, Daet, Camarines Norte* and from the website of the *Philippine Government Electronic Procurement System (PhilGEPS)* upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Twenty-Five Thousand Pesos**

(P25,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

6. The *Provincial Government of Camarines Norte* will hold a Pre-Bid Conference on *August 3, 2023, 2:00p.m.* at the *new BAC Conference Office, at the back of Agro-Sports Center, J. Lukban Street, Daet, Camarines Norte*, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the address below on or before *August 17, 2023 at 1:30p.m.* Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on *August 17, 2023 at 2:00p.m.* at the *new BAC Conference Office, at the back of Agro-Sports Center, J. Lukban Street, Daet, Camarines Norte*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The *Provincial Government of Camarines Norte* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35 and 41 of the revised IRR of RA 9184 without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:  
  
**ATTY. ARCHIMEDES O. YANTO**  
**Provincial Legal Officer / BAC Chairperson**  
**Provincial Capitol Bldg., Daet, Camarines Norte**  
**(054) 885-1474**
12. You may visit the website:  
**Philippine Government Electronic Procurement System (PhilGEPS)**



**ATTY. ARCHIMEDES O. YANTO**  
**Provincial Legal Officer / BAC Chairperson**

***Section II. Instructions to Bidders***

## 1. Scope of Bid

The Procuring Entity, *Provincial Government of Camarines Norte* wishes to receive Bids for the *Supply and Delivery of Medical Equipment (Digital X-Ray Suspended Ceiling Mounted with DR Flat Panel Detector (DR System) and PACS (Picture archiving and communication system) & 10 others)* with identification number [PR No. 23061617].

*[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]*

The Procurement Project (referred to herein as “Project”) is composed of **Eleven (11) item**, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP through the source of funding as indicated below for 2023 in the amount of **FIFTEEN MILLION FIVE HUNDRED FIFTY THOUSAND PESOS (P15,550,000.00)**

2.2. The source of funding is the **General Fund CY 2023 – Capital Outlay**

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## **5. Eligible Bidders**

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
  - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## **6. Origin of Goods**

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## **7. Subcontracts**

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed.

## **8. Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in paragraph 6 of the **IB**.

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within 5 years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
  - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
  - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall *in no case exceed One Hundred Twenty (120) calendar days from the opening of the bid*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

---

<sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## **16. Deadline for Submission of Bids**

16.1. The Bidders shall submit on the specified date and time and either at its physical address as indicated in paragraph 7 of the **IB**.

## **17. Opening and Preliminary Examination of Bids**

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the



**BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

# Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ul style="list-style-type: none"> <li>a) The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty five percent (25%) of the ABC.</li> <li>b) Completed within 5 years prior to the deadline for the submission and receipt of bids.</li> </ul>
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP <i>Daet, Camarines Norte</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ul style="list-style-type: none"> <li>a. The amount of not less than 2% of the ABC or <b>P 311,000.00</b> if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than 5% of the ABC or <b>P 777,500.00</b>, if bid security is in Surety Bond.</li> </ul>
19.3	<p>The lot(s) and item(s) is/are:</p> <p style="text-align: center;"><b>PR No. 23061617 – Supply and Delivery of Medical Equipment (Digital X-Ray Suspended Ceiling Mounted with DR Flat Panel Detector (DR System) and PACS (Picture archiving and communication system) &amp; 10 others)</b></p>
20.2	<p>The LCB shall submit the following documentary requirements within a nonextendible period of five (5) calendar days from receipt of the notification;</p> <ul style="list-style-type: none"> <li>(a) Latest Annual Income and Business Tax Return (per Revenue Regulations 3-2005);</li> <li>(b) License to Operate (LTO) as distributor, manufacturer, wholesaler or importer but NOT RETAILER;</li> <li>(c) Certificate(s) of Product Registration (CPR) issued by FDA for the brand offered for all registerable items; If the CPR is expired, the bidder must attach the expired CPR together with the receipt or proof of renewal. However, for new application of CPR, official receipt or certificate of ongoing processing will not be accepted; or</li> <li>(d) Certificate of Medical Device Registration/(CMDR)/ Certificate of Medical Device Notification (CMDN)/ Certificate of Medical Device Listing (CMDL) or its equivalent as per FDA Circular 2020-001, 001A and 2021-002C</li> <li>(e) Material Safety Data Sheets</li> </ul>
21.2	Not Applicable.

## ***Section IV. General Conditions of Contract***

## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## ***Section V. Special Conditions of Contract***

## Special Conditions of Contract

GCC Clause	
1	<p><b>Delivery and Documents –</b></p> <p>The delivery terms applicable to this Contract are delivered <i>to Daet, Camarines Norte</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site are the <i>End User</i> and the <i>Inspectorate Team</i>.</p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ol> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>
	<p><b>Packaging</b></p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the</p>



	<p>Goods' final destination and the absence of heavy handling facilities at all points in transit.</p> <p>Name of the Procuring Entity  Name of the Supplier  Contract Description  Final Destination  Gross weight  Any special lifting instructions  Any special handling instructions  Any relevant HAZCHEM classifications</p> <p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging</p>
	<p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p>

	<p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	Partial Payment is not allowed.
4	<p>The inspections and tests that will be conducted are:</p> <p>1) Upon delivery, the Goods shall undergo preliminary physical inspection by the Inspection Team of the PROCURING ENTITY to ascertain the physical condition and acceptability of the Goods.</p> <p>2.) The supplier shall promptly replace the equivalent quantity of Goods taken as samples without cost to the PROCURING ENTITY.</p>
5	In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty of One(1) year shall be required from the Supplier from the date of delivery

## ***Section VI. Schedule of Requirements***

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

<b>Item Number</b>	<b>Description</b>	<b>Quantity</b>	<b>Total</b>	<b>Delivered, Weeks/Months</b>
1 lot	Supply and Delivery of Medical Equipment (Digital X-Ray Suspended Ceiling Mounted with DR Flat Panel Detector (DR System) and PACS (Picture archiving and communication system) & 10 others)			Items shall be delivered 60 calendar days after receipt of NTP

## ***Section VII. Technical Specifications***

## Technical Specifications

Item	Specification	Statement of Compliance
1	<p><b>Digital X - Ray Suspended Ceiling Mounted with DR Flat Panel Detector (DR System) and PACS (Picture archiving and communication system)</b></p> <p><i>Specification:</i></p> <p><b>High Frequency Generator</b> - Output Rating: 40kW, Line Nominal Phase: Single Phase, 220 VAC, Line Frequency: 50*/60Hz, kV Range:40~125kV, 1kV step, mA Range: 10 to 500 mA, Timer Range: 0.001 to 10 sec, 38 steps, mAs Range: 0.1 to 500mAs (optional 640, 800, 1,000 mAs), GXR-C System requires mA sliding down at 500mAs, 500mA@80kV, 400mA@100kV, COLLIMATOR320mA@125kV, 250mA@150kV, Reproducibility Coefficient of Variation: kV &lt;0.005, Time &lt;0.005, mAs &lt;0.01, Accuracy kV &lt;±(1%+kV), mA &lt;±(3%=1mA, Time &lt; (1%+0.5ms), mAs&lt;±(3%+0.1mAs), Linearity Coefficient of Linearity &lt;0.01:CL=(x1-x2)/(x1+x2), where X is mR/mAs, Technique Selection 4 point display (KV, mA, Time, mAs);</p> <p><b>4-Way Float Top Table</b> - Movement, Tabletop Longitudinal 1,000(±500)mm, Bucky Transverse 250(±125)mm, Table Longitudinal 350mm, Inherent Filtration 1.2mmAl at 100 kV, Max Patient Weight 300kg (660lbs), Side 2,000(W)x750(D)x70(H)mm, BuckyType Oscillating Type, GRID Focal Distance 34~44 inch, 85~103lpi, ratio 8:1~12:1, Lock (Brake) EM Lock, beam sensor on/off, Center Indication Transverse Buzzer sound and LED, Electrical Rating 100-240VAC, 200VA 50/60 Hz, Dimension/Weight 2,200(w) X 750(D) X 660(H) mm/150kg (330lbs);</p> <p><b>Wall Bucky Stand</b> - Cassette Stroke, 1,070mm(420~1,490mm from floor to Bucky Center), 1,220mm(420~1,640mm from floor to Bucky Center), Bucky Type Oscillating Fixed GRID, FD 40~72 inch, 103 or 180lpi ratio 8~12:1, FD 150cm, 200lpi, ratio 8~12:1, Lock (brake) EM Lock, Switch on/off, Balance</p>	

Counter Weight, Electrical Rating 24VDC, 1A, Dimension/Weight 1,599(H)x659(W)x445(D)mm/110kg(242lbs), 1,749(H)x659(W)x445(D)mm/113kg(249lbs), 1,919(H)x659(W)x445(D)mm/116kg(255lbs), 2,169(H)x659(W)x445(D)mm/120kg(264lbs);

**Ceiling Suspended** - Tube Rotation Angle, Horizontal axis:±180°, Vertical axis:±180°(mechanical detents at every 90°), Tube Stroke, Longitudinal 3,280mm±10mm, Lateral 2,200 mm±10mm, Vertical 1,500±10mm, Lock(Brake): EM Lock, Switch on/off, Vertical Balance: Spring, Vertical Movement: Manual, Tube Rotation: Manual, SID Indication: LED lamp and 7-segment display, Electrical Rating: 100-240Vac, 150VA, 50/60 Hz, Dimension: 2,688(H)x3,022(D)x4,010(W)mm, when vertical direction is extended with 1,500mm stroke and 3x4m rails, Weight: Main Body: 135kg (298lbs) except tube, Rails: 100kg (200lbs), Mechanical Dent Function; Tube Stand - Focal Spot size: 1.0/2.0mm, Rating (0.1s): 22.5/47kW@60Hz, Max.Anode HU:140kHU(100kJ),Target Angle:16°, Max.kV: 125kV, Weight: 16kg (35.3lbs), Inherent Filtration: 1.0mmAl(75kV), Half Value Layer: More than 2.9mmAl eq. at 80kVp, Leakage Radiation: Less than 100mR/hr; COLLIMATOR - Control : Manual with 30 sec. lamp timer, Field Shape Rectangular, Max Field Size More than 43x43cm(17x17inch) at 100cm SID, Leakage Radiation: Less than 40mR/h, Max. kVp shield 150kV, Inherent Filtration 2mmAl eq., Luminosity Over 160LUX at 100cm SID, Light source LED, Standard Rotating flange with fixing knob, Electrical Rating LED lamp type, 12~45V DC 35VA / 20~30VAC 35VA 50~60Hz, Dimension / Weight 196(W0 x 250(D) x 171(H) mm 7.1kg(15.6lb). ; General Tools - Pan, Zoom- in/out, windowing, Magnification, Fit, Flip Vertical/Horizontal, Rotate (90/180), Image Capture (Image only, Image Set, As Shown, Monitor and All), Voice Dictation, Actual Size Display (1:1 size display), 3D Cursor, CT Ratio, Limb Length Discrepancy, Center Line, Spine Labeling, Measure 2D line, 2D Curve, 2D Angle,

	<p>MEasure Area Ellipse, Rectangle, Freehand, MEasure Cobb Angle, RAtio, Lens, Hounsfield unit, SUV, Acetabular Angle, Spine Balance, Spine Cobb Angle, Spine Pelvic Incidence Angle, KEy Image, Cross Link, Parallel Line.</p> <p>Report - Reports should be supported, Reports consisting of patient information and images could be stored or printed for both internal and external purposes, Users should be able to check updated reports on the information navigator without additional mouse clicks, when they select an exam from the worklist, Standard reports should be used for normal cases, Users could design their own report templates. ; Modalities - Support following modality connections - General X-ray, General Ultrasound, Computed Tomography, Magnetic Resonance, Radiographic Fluoroscopy, Mammogram, Mobile X-rays, Digital Mammography. ; Includes specialized, role-based applicants for: Radiologist, Referring Physician, Radiologic Technologists, Receptonist and Clerks. ; Search Filters are customizable by search criteria - Accession Number, Anatomical Area, Assigned to field, Birth Date, First Name, LAst Name, Modality, Patient ID, PRocedure Status, By Radiologist, By Referring Physicians, By Study ID, Time Frame, Has Reports,Has Notes. ; Includes application management software for PACS Administrator. ; Images can be printed on paper or film or burn to DVD/CD. ; Security measures including username, password. ; 24/7 online monitoring and remote support service for online troubleshooting, remote updates and function restoration capabilities. ; Provide security measures for specific roles in the department to ensure patient privacy.</p>	
2	<p><b>Obstetric table/ delivery table with stirrups</b>  Obstetric table with adjustable height; frame made of pre-treated and epoxy powder coated mild steel; three sectional tope mode of stainless steel fixed on trolley base mounted on 125mm castors; leg section can slide completely under the main section; Tendelenburg position can be adjusted by using pneumatic pump. Includes waste</p>	

	collecting stainless steel bowl and one stainless steel IV rod; backrest adjustable on ratchet, hydraulic height adjustable by foot paddle from side; hand grips; height adjustable knee crutches with straps; mattress with easy to clean cover (preferably leather); with wheels for easy transportation. Size: L 1830 x W 680 x H 600 - 760 mm.	
3	<b>Stretcher with stirrups (ordinary)</b> <i>Specification:</i> frame is made of tubular steel 3/4" and steel sheet G-24; divided into sections for multi-positions adjustable provided with stirrup tubular steel frame mounted on rubber tip. Size: H 35" x L 72" x W 20".	
4	<b>Biosafety Cabinet (Class II)</b> <i>Specifications:</i> External Size (W*D*H): 1100*750*2250mm, Internal Size (W*D*H): 940*600*660mm, Tested Opening: Safety Height 200mm (8"), Max Opening: 420mm (17"), Inflow Velocity: 0.53 +/- 0.025 m/s, Downflow Velocity: 0.33 +/- 0.025 m/s ULPA Filter: Two, 99.9995% Efficiency at 0.12um. Filter life indicator, Front Window: Motorized. ; Two Layer Laminated Toughened Glass > 6mm. Anti UV, Noise: <67dB, UV Lamp: 30W*1; UV Timer, UV life indicator, emission of 253.7 nanometers for most efficient decontamination. ; Illuminating Lamp: LED lamp; 12W*2, Illumination: >1000Lux, Consumption: 600W, Waterproof Sockets: Two, total load of two sockets: 500W, Display: LCD Display: exhaust filter and downflow filter pressure, filter and UV lamp working time, inflow and downflow velocity, filter life, humidity and temperature, system working time etc. ; Control System: Microprocessor, Airflow System: 70% air recirculation, 30% air exhaust, Visual and Audio Alarm: Abnormal airflow velocity, Filter replacement, Front window and unsafe height, High filter pressure alarm. ; Material: Work Zone: 304 stainless steel; Main Body: Cold-rolled steel with anti-bacteria powder coating. ; Work Surface Height: 750mm (Size can be customized according to requirements), Caster: Foot master caster, Power Supply: AC220V +/- 10%, 50/60Hz, 110V +/- 10%, 60Hz, Standard Accessory: LED lamp*2, UV	



	lamp*1, Base stand, Remote control, Foot switch, Drain valve, Waterproof sockets*2, Optional Accessory: Water and gas tap, Electric height adjustable base stand, Armrest, Chair, Gross Weight: 220kg, Package Size (W*D*H): 1220*1000*1820mm.	
5	<p><b>Vertical Digital Autoclave</b></p> <p><i>Specifications:</i> Capacity:100L Chamber Size (mm): 386*875, Chamber Material: SUS304 Max Designed Pressure:0.28MPa Max Design Temp: 134C, Working Pressure: 0.23MPa, Working Temperature: 105~136C, Temp Accuracy: (+/-)0.1C Timing Range: 0~999Min, Dynamic Pulse Exhaust Times: 0~9 times, Dynamic Pulse Exhaust Temp: 105~136C, Temp. Holding Range: 45~60C (Programmable), Consumption: 5.2KW, Power Supply: AC110/220V +/- 10%, 50/60Hz, Standard SS Basket: 2 pcs, External Size (W*D*H) mm: 640*550*1280, Package Size (W*D*H) mm: 750*745*1450, Gross Weight (Kg): 125</p>	
6	<p><b>24 Placer Clinical Centrifuge</b></p> <p><i>Specifications:</i> Max. Speed: 4000rpm Max RCF:2250xg, Max. Capacity: 24*10mL Speed Precision: +/-20rpm Time Range:1s~999min, Power Supply: AC220V, 50/60Hz (Standard); 110V, 60Hz (Optional), Consumption: 200W Noise: &lt;65dB, External Size (L*W*H) mm: 350*400*270, Package Size (L*W*H) mm: 410*510*310, Net Weight/Gross Weight (kg): 18/20</p>	
7	<p><b>TABLE TOP AUTOCLAVE</b> (5) standard USB port where users can store sterilization data with USB disk. Safety features: (1) with fuse to protect entire device to prevent overload; (2) Thermal fuse: prevent short circuit and transformer overheating; (3) Safety valve to prevent overpressure; (4) Temperature protector to prevent overheating; (5) Pressure balance system - will automatically balance pressure differential of inner or outer. TECHNICAL PARAMETERS: Capacity - 24L; Sterilization Temp. - 121°C, 134°C; Control Precision - Temp: 1°C/Pressure: 0.1bar; Built-in tank capacity: 4L; Max working pressure - 2.3bar Min. working</p>	

	pressure - (-)0.9bar; Power supply: 110/220V; AVR	
8	<p><b>Forced Air Drying Oven</b></p> <p><i>Specifications:</i> Capacity: 108L Temp. Range: 50~200C Temp. Precision: 0.1C Temp. Fluctuation: +/- 1C, Ambient Temp: 5~40C Timing Range: 1~9999min, Shelves No.: 2 pcs Consumption: 1600W, Power Supply: Standard: 220V +/- 10%, 50/60Hz; Optional: 110V, 60Hz, Internal Size (W*D*H) mm: 550*348*550, External Size (W*D*H) mm: 830*620*735, Package Size (W*D*H) mm: 960*720*900, Gross Weight (kg): 115</p>	
9	<p><b>Benchtop Digital Serofuge</b></p> <p><i>Specifications:</i> Max Speed: 4000rpm, Max RCF: 1980xg, Max Capacity: 8x15mL, Time Range: 0-99min, Noise: &lt;65Db, Power Supply: AC220V 50Hz 2A, 50W, Dimension (L*W*H): 340x270x270mm, Weight: 6Kg</p>	
10	<p><b>Pharmaceutical Refrigerator</b></p> <p><i>Specifications:</i> External Size (W*D*H) mm: 620*575*1980, Capacity: 310L, Temp. Range: 2C~8C, Temp. Accuracy: 0.1C, Control System: Microprocessor Control, Large Screen LED Display, Alarm: Audible and visual alarm for: High and Low temperature, Power failure alarm, Door ajar, Thermostat failure, Refrigeration Type: Forced air refrigeration system, Refrigerant: R600a, CFC Free, Condenser and Evaporator: Bundy tube condenser, Defrost: Auto defrost, Construction (Structure): Unibody design &amp; Mono-assembly foaming (rigid polyurethane insulation material), Construction (Internal Material): Embossed aluminum sheet, Construction (External Material): Spraying steel plate, Shelves: 5 pcs, Door: Glass door with electric heating, Consumption: 180W, Power Supply: AC110/220V +/- 10%, 50/60Hz, Standard Accessories: LED Lamp, USB port, Optional Accessory: Temperature Recorder, Temperature Printer (USB port cannot be selected at the same time), probe access port</p>	

	Package Size (W*D*H) mm: 700*650*2030, Gross Weight: 84kg	
11	<p><b>Defibrillator with AED and SPO2</b></p> <p>Specification: dimension (w x d x h) = 288 x 203 x 275mm, weight = 4.7kg, battery package each = 0.54kg, external paddle set = 0.86kg; water resistance = IPX4 (w/o external power), solid resistance = Ip4X, temp. operating + 0 - 45°C storage: -30 - 70°C, humidity = 10 – 95% non-condensation, shock and vibration + must meet the requirements of 21. 102, ISO 9919 (Shock and vibration for transport), bump = meet requirements of 6.3.4.2, EN1789 (medical devices for use in road ambulances), free fall = requirements of 6.3.4.3, EN1789, EMC = meets IEC60601-1-1-2, safety = meets EN/IEC = 6060-1; display = TFT Color LCD, 7” dimension with 800x480 pixels in resolution, max of 3 channels of display waveforms; AC power = 100 to 240V, frequency = 50/60Hz; Battery = 15.1V, 5600mAh, rechargeable Lithium ion battery pack, charge time = less than 3hrs to 90% and less than 4hrs to 100%; Waveform: Biphasic truncated exponential waveform, with impedance compensation, Energy accuracy: +2 J or 15% of setting, whichever is greater, into 50Ohm. ; Charge Time: Less than 3 seconds to 200 Joules with a new, fully charged battery Less than 7 seconds to 3Joules with a new, fully charged battery, Shock Delivery: Via multifunction defib electrode pads, or paddles, Patient Impedance Range: 25 to 300 (External defibrillation)</p> <p>Manual Mode Output Energy: 1,2,3,4,5,6,7,8,9,10,15,20,30,50,70,100,150,170,200,300,360 J, Synchronous Cardioversion: Energy transfer begins within 60ms of the QRS peak, Energy transfer begins within 25ms of the External Sync Pulse;AED Mode:</p> <p>Output Energy: User configurable, AED Shock Series: Energy level: 100 to 360 J, configurable, Shocks series: 1,2,3, configurable, Default configuration meets 2015 AHA Guidelines, Sensitivity and Specificity: Meets AAMI DF-80; Waveform: Monophasic square wave pulse, Pulse Width:</p>	

	<p>20ms or 40ms, +5%, Refractory period: 200 to 300ms, +3% (function of rate), Pacing Mode: Demand or fixed, Pacing rate: 30ppm to 2010ppm, +1.5%, Pacing output: 0mA to 200mA, +5% or 5mA, whichever is greater 4:1 pacing: Pacing pulse frequency reduced by factor of 4 when activated; Lead type: 3 leads ECG, 5 leads ECG, Lead Selection: 3 leads ECG:I,II,III; 5 leads ECG: I, II, III, aVR, aVL, aVF, V; Heart Rate, Display: Adult: 15 to 300 bpm, Pediatric: 15 to 350 bpm, Neonate: 15 to 350 bpm, Resolution: 1 bpm, Inclusions: electrode gel, adult electrode, brackets (5pcs/bag), 12 PIN 3/5 Lead ECG host cable Def-P, 5 LED Leadset, ADT/PED, external paddles (D6/D3) with instructions for use, quick guide, operation manual, service manual, 7 PIN SPO2 extension cable, reusable SPO2 Sensor, ADT, finger clip, thermal paper (50mm x 20m), wire power cable, grounding cable D6/D3, mobile trolley, accessory bag, cover, cardiac board, 3prong adapter, power on delay.</p>	
--	--	--

*[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]*

## ***Section VIII. Checklist of Technical and Financial Documents***

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class "A" Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

#### Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission **or** Original copy of Notarized Bid Securing Declaration; **and**
- (h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (i) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- (j) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) **or** A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

### *Class "B" Documents*

- (k) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

## II. FINANCIAL COMPONENT ENVELOPE

- (l) Original of duly signed and accomplished Financial Bid Form; **and**
- (m) Original of duly signed and accomplished Price Schedule(s).

#### Other documentary requirements under RA No. 9184 (as applicable)

- (n) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in

- (o) government procurement activities for the same item or product.
- (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

**Bid Form for the Procurement of Goods**  
*[shall be submitted with the Bid]*

---

**BID FORM**

Date : \_\_\_\_\_  
 Project Identification No. : \_\_\_\_\_

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

*[Insert this paragraph if Foreign-Assisted Project with the Development Partner:*

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Purpose of Commission or gratuity
_____	_____
_____	_____
_____	_____

(if none, state "None") ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.



The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_

Legal capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date: \_\_\_\_\_

**Bid Securing Declaration Form**

*[shall be submitted with the Bid if bidder opts to provide this form of bid security]*

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_) S.S.

**BID SECURING DECLARATION**  
**Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*  
*[Insert signatory's legal capacity]*  
Affiant

**[Jurat]**  
*[Format shall be based on the latest Rules on Notarial Practice]*

## Omnibus Sworn Statement

*[shall be submitted with the Bid]*

---

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC

Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

*[Jurat]*

*[Format shall be based on the latest Rules on Notarial Practice]*

## Performance Securing Declaration (Revised)

*[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]*

---

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_ ) S.S.

### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years for the second offense, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF**, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

**LIST OF ALL ON-GOING GOVERNMENT & PRIVATE CONTRACTS  
INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED**

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contracts/ Project Cost	a. Owners Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role		a. Date Awarded b. Date started c. Date of Completion	% of Accomplishme nt		Value of Outstanding Works/ Undelivered Portion
			Descripti on	%		Planne d	Actu al	

<b>GOVERNMENT</b>								
<b>PRIVATE</b>								

Note: This statement shall be supported with:

1. Notice of Award and/or Contract
2. Notice to Proceed Issued by the owner
3. Certificate of Accomplishment signed by the owner or authorized representative

Submitted by : \_\_\_\_\_

Designation : \_\_\_\_\_

Date : \_\_\_\_\_

### STATEMENT OF SINGLE LARGEST CONTRACT COMPLETED WHICH ARE SIMILAR IN NATURE

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contracts/	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role		a. Amount Awarded b. Amount of Completion c. Duration	a. Date Awarded b.Contract Effectivity c. Date Completed
			Description	%		

<b>GOVERNMENT</b>						
<b>PRIVATE</b>						

Note: This statement shall be supported with:

1. Contract
2. Certificate of Completion
3. Certificate of Acceptance

Submitted by : \_\_\_\_\_

Designation : \_\_\_\_\_

Date : \_\_\_\_\_

**FINANCIAL DOCUMENTS FOR ELIGIBILITY CHECK**

A. Summary of the applicants Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the attached income tax return and audited financial statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, For The immediately preceding year and A certified copy of Schedule of Fixed Assets particularly the list of construction equipment.

		Year 20__
1	Total Assets	
2	Current Assets	
3	Total Liabilities	
4	Current Liabilities	
5	Net Worth (1-3)	
6	Net Working Capital (2-4)	

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = [(current asset – current liabilities)(15)] minus value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started.

NFCC = p \_\_\_\_\_

or

Commitment from a licensed bank to extend to it a credit line if awarded to contract or a cash deposit certificate in the amount of at least 10% of the proposed project to be bid.

Name of Bank: \_\_\_\_\_

Amount: \_\_\_\_\_

Herewith attached are certified true copies of the income Tax return and audited financial statement: Stamped "RECEIVED" by the BIR or BIR authorized collecting agent for the immediately preceding year and cash deposit certificate or certificate of Commitment from a licensed bank to extend a credit line

Submitted by:

\_\_\_\_\_  
\_\_\_\_\_

Date: \_\_\_\_\_

**NOTE:**

*1.If partnership of joint Venture, each Partner or Member Firm or Joint Venture shall submit the above requirement*



Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

**PR No. 23061617**

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
1	1	unit	<b>Digital X - Ray Suspended Ceiling Mounted with DR Flat Panel Detector (DR System) and PACS (Picture archiving and communication system)</b> <i>Specification:</i> High Frequency Generator - Output Rating: 40kW, Line Nominal Phase: Single Phase, 220 VAC, Line Frequency: 50*/60Hz, kV Range:40~125kV, 1kV step, mA Range: 10 to 500 mA, Timer Range: 0.001 to 10 sec, 38 steps, mAs Range: 0.1 to 500mAs (optional 640, 800, 1,000 mAs), GXR-C System requires mA sliding down at 500mAs, 500mA@80kV, 400mA@100kV, COLLIMATOR320mA@125kV, 250mA@150kV, Reproducibility Coefficient of Variation: kV <0.005, Time <0.005, mAs <0.01, Accuracy kV <±(1%+kV), mA <±(3%=1mA, Time < (1%+0.5ms), mAs<±(3%+0.1mAs),		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

PR No. **23061617**

\_\_\_\_\_

\_\_\_\_\_

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
			Linearity Coefficient of Linearity <0.01:CL=(x1-x2)/(x1+x2), where X is mR/mAs, Technique Selection 4 point display (KV, mA, Time, mAs); <b>4-Way Float Top Table</b> - Movement, Tabletop Longitudinal 1,000(±500)mm, Bucky Transverse 250(±125)mm, Table Longitudinal 350mm, Inherent Filtration 1.2mmAl at 100 kV, Max Patient Weight 300kg (660lbs), Side 2,000(W)x750(D)x70(H)mm, BuckyType Oscillating Type, GRID Focal Distance 34~44 inch, 85~103lpi, ratio 8:1~12:1, Lock (Brake) EM Lock, beam sensor on/off, Center Indication Transverse Buzzer sound and LED, Electrical Rating 100-240VAC, 200VA 50/60 Hz, Dimension/Weight 2,200(w) X 750(D) X 660(H) mm/150kg (330lbs);		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

**PR No. 23061617**

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
			<b>Wall Bucky Stand</b> - Cassette Stroke, 1,070mm(420~1,490mm from floor to Bucky Center), 1,220mm(420~1,640mm from floor to Bucky Center), Bucky Type Oscillating Fixed GRID, FD 40~72 inch, 103 or 180lpi ratio 8~12:1, FD 150cm, 200lpi, ratio 8~12:1, Lock (brake) EM Lock, Switch on/off, Balance Counter Weight, Electrical Rating 24VDC, 1A, Dimension/Weight 1,599(H)x659(W)x445(D)mm/110kg(242lbs), 1,749(H)x659(W)x445(D)mm/113kg(249lbs), 1,919(H)x659(W)x445(D)mm/116kg(255lbs), 2,169(H)x659(W)x445(D)mm/120kg(264lbs); <b>Ceiling Suspended</b> - Tube Rotation Angle, Horizontal axis:±180°, Vertical axis:±180°(mechanical detents at every 90°), Tube Stroke, Longitudinal 3,280mm±10mm, Lateral 2,200 mm±10mm, Vertical 1,500±10mm, Lock(Brake): EM Lock, Switch on/off,		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

PR No. 23061617

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
			Vertical Balance: Spring, Vertical Movement: Manual, Tube Rotation: MAnual, SID Indication: LED lamp and 7-segment display, Electrical Rating: 100-240Vac, 150VA, 50/60 Hz, Dimension: 2,688(H)x3,022(D)x4,010(W)mm, when vertical direction is extended with 1,500mm stroke and 3x4m rails, Weight: Main Body: 135kg (298lbs) except tube, Rails: 100kg (200lbs), Mechanical Dent Function; Tube Stand - Focal Spot size: 1.0/2.0mm, Rating (0.1s): 22.5/47kW@60Hz, Max.Anode HU:140kHU(100kJ),Target Angele:16°, Max.kV: 125kV, Weight: 16kg (35.3lbs), Inherent Filtration: 1.0mmAl(75kV), Half Value Layer: More than 2.9mmAl eq. at 80kVp, Leakage Radiation: Less than 100mR/hr; COLLIMATOR - Control : Manual with 30 sec. lamp timer, Field Shape Rectangular,		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

**PR No. 23061617**

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
			Max Field Size More than 43x43cm(17x17inch) at 100cm SID, Leakage Radiation: Less than 40mR/h, Max. kVp shield 150kV, Inherent Filtration 2mmAl eq., Luminosity Over 160LUX at 100cm SID, Light source LED, Standard Rotating flange with fixing knob, Electrical Rating LED lamp type, 12~45V DC 35VA / 20~30VAC 35VA 50~60Hz, Dimension / Weight 196(W0 x 250(D) x 171(H) mm 7.1kg(15.6lb). ; General Tools - Pan, Zoom- in/out, windowing, Magnification, Fit, Flip Vertical/Horizontal, Rotate (90/180), Image Capture (Image only, Image Set, As Shown, Monitor and All), Voice Dictation, Actual Size Display (1:1 size display), 3D Cursor, CT Ratio, Limb Length Discrepancy, Center Line, Spine Labeling, Measure 2D line, 2D Curve, 2D Angle, MEasure Area Ellipse, Rectangle, Freehand,		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

**PR No. 23061617**

\_\_\_\_\_  
 \_\_\_\_\_

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
			Measure Cobb Angle, RAtio, Lens, Hounsfield unit, SUV, Acetabular Angle, Spine BALance, Spine Cobb Angle, Spine Pelvic Incidence Angle, KEy Image, Cross Link, Parallel Line. Report - Reports should be supported, Reports consisting of patient information and images could be stored or printed for both internal and external purposes, Users should be able to check updated reports on the information navigator without additional mouse clicks, when they select an exam from the worklist, Standard reports should be used for normal cases, Users could design their own report templates. ; Modalities - Support following modality connections - General X-ray, General Ultrasound, Computed Tomography, Magnetic Resonance, Radiographic Fluoroscopy, Mammogram, Mobile X-rays, Digital Mammography. ;		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

**PR No. 23061617**

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
			Includes specialized, role-based applicants for: Radiologist, Referring Physician, Radiologic Technologists, Receptonist and Clerks. ; Search Filters are customizable by search criteria - Accession Number, Anatomical Area, Assigned to field, Birth Date, First Name, LAsT Name, Modality, Patient ID, PROcedure Status, By Radiologist, By Referring Physicians, By Study ID, Time Frame, Has Reports,Has Notes. ; Includes application management software for PACS Administrator. ; Images can be printed on paper or film or burn to DVD/CD. ; Security measures including username, password. ; 24/7 online monitoring and remote support service for online troubleshooting, remote updates and function restoration capabilities. ; Provide security measures for specific roles in the department to ensure patient privacy.		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

**PR No. 23061617**

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
2.	4	unit	<b>Obstetric table/ delivery table with stirrups</b> Obstetric table with adjustable height; frame made of pre-treated and epoxy powder coated mild steel; three sectional tope made of stainless steel fixed on trolley base mounted on 125mm castors; leg section can slide completely under the main section; Tendelenburg position can be adjusted by using pneumatic pump. Includes waste collecting stainless steel bowl and one stainless steel IV rod; backrest adjustable on ratchet, hydraulic height adjustable by foot paddle from side; hand grips; height adjustable knee crutches with straps; mattress with easy to clean cover (preferably leather); with wheels for easy transportation. Size: L 1830 x W 680 x H 600 - 760 mm.		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor



Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

PR No. 23061617

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
3.	3	unit	<b>Stretcher with stirrups (ordinary)</b> <i>Specification:</i> frame is made of tubular steel 3/4" and steel sheet G-24; divided into sections for multi-positions adjustable provided with stirrup tubular steel frame mounted on rubber tip. Size: H 35" x L 72" x W 20".		
4.	1	unit	<b>Biosafety Cabinet (Class II)</b> <i>Specifications:</i> External Size (W*D*H): 1100*750*2250mm, Internal Size (W*D*H): 940*600*660mm, Tested Opening: Safety Height 200mm (8"), Max Opening: 420mm (17"), Inflow Velocity: 0.53 +/- 0.025 m/s, Downflow Velocity: 0.33 +/- 0.025 m/s ULPA Filter: Two, 99.9995% Efficiency at 0.12um. Filter life indicator, Front Window: Motorized. ; Two Layer Laminated Toughened Glass > 6mm. Anti UV, Noise: <67dB, UV Lamp: 30W*1; UV Timer, UV life indicator,		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

**PR No. 23061617**

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
			emission of 253.7 nanometers for most efficient decontamination. ; Illuminating Lamp: LED lamp; 12W*2, Illumination: >1000Lux, Consumption: 600W, Waterproof Sockets: Two, total load of two sockets: 500W, Display: LCD Display: exhaust filter and downflow filter pressure, filter and UV lamp working time, inflow and downflow velocity, filter life, humidity and temperature, system working time etc. ; Control System: Microprocessor, Airflow System: 70% air recirculation, 30% air exhaust, Visual and Audio Alarm: Abnormal airflow velocity, Filter replacement, Front window and unsafe height, High filter pressure alarm. ; Material: Work Zone: 304 stainless steel; Main Body: Cold-rolled steel with anti-bacteria powder coating. ;		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

PR No. **23061617**

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
5.	1	unit	Work Surface Height: 750mm (Size can be customized according to requirements), Caster: Foot master caster, Power Supply: AC220V +/- 10%, 50/60Hz, 110V +/- 10%, 60Hz, Standard Accessory: LED lamp*2, UV lamp*1, Base stand, Remote control, Foot switch, Drain valve, Waterproof sockets*2, Optional Accessory: Water and gas tap, Electric height adjustable base stand, Armrest, Chair, Gross Weight: 220kg, Package Size (W*D*H): 1220*1000*1820mm.  <b>Vertical Digital Autoclave</b> <i>Specifications:</i> Capacity:100L Chamber Size (mm): 386*875, Chamber Material: SUS304 Max Designed Pressure:0.28MPa Max Design Temp: 134C, Working Pressure: 0.23MPa, Working Temperature: 105~136C, Temp Accuracy: (+/-)0.1C Timing Range: 0~999Min,		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

PR No. 23061617

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
6.	2	unit	Dynamic Pulse Exhaust Times: 0~9 times, Dynamic Pulse Exhaust Temp: 105~136C, Temp. Holding Range: 45~60C (Programmable), Consumption: 5.2KW, Power Supply: AC110/220V +/- 10%, 50/60Hz, Standard SS Basket: 2 pcs, External Size (W*D*H) mm: 640*550*1280, Package Size (W*D*H) mm: 750*745*1450, Gross Weight (Kg): 125  <b>24 Placer Clinical Centrifuge</b> <i>Specifications:</i> Max. Speed:4000rpm Max RCF:2250xg, Max. Capacity: 24*10mL Speed Precision: +/-20rpm Time Range:1s~999min, Power Supply: AC220V, 50/60Hz (Standard); 110V, 60Hz (Optional), Consumption: 200W Noise: <65dB, External Size(L*W*H) mm: 350*400*270, Package Size(L*W*H) mm: 410*510*310,NetWeight/GrossWeight(kg): 18/20		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

**PR No. 23061617**

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
7.	1	unit	<b>TABLE TOP AUTOCLAVE</b> (5) standard USB port where users can store sterilization data with USB disk. Safety features: (1) with fuse to protect entire device to prevent overload; (2) Thermal fuse: prevent short circuit and transformer overheating; (3) Safety valve to prevent overpressure; (4) Temperature protector to prevent overheating; (5) Pressure balance system – will automatically balance pressure differential of inner or outer. <b>TECHNICAL PARAMETERS:</b> Capacity – 24L; Sterilization Temp. – 121°C, 134°C; Control Precision – Temp: 1°C/Pressure: 0.1bar; Built-in tank capacity: 4L; Max working pressure - 2.3bar Min. working pressure – (-)0.9bar; Power supply: 110/220V; AVR		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

PR No. **23061617**

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
8.	1	unit	<b>Forced Air Drying Oven</b> <i>Specifications:</i> Capacity: 108L Temp. Range: 50~200C Temp. Precision: 0.1C Temp. Fluctuation: +/- 1C, Ambient Temp: 5~40C Timing Range: 1~9999min, Shelves No.: 2 pcs Consumption: 1600W, Power Supply: Standard: 220V +/- 10%, 50/60Hz; Optional: 110V, 60Hz, Internal Size (W*D*H) mm: 550*348*550, External Size (W*D*H) mm: 830*620*735, Package Size (W*D*H) mm: 960*720*900, Gross Weight (kg): 115		
9.	1	unit	<b>Benchtop Digital Serofuge</b> <i>Specifications:</i> Max Speed: 4000rpm, Max RCF: 1980xg, Max Capacity: 8x15mL, Time Range: 0-99min, Noise: <65Db, Power Supply: AC220V 50Hz 2A, 50W, Dimension (L*W*H): 340x270x270mm, Weight: 6Kg		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

PR No. 23061617

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
10.	1	unit	<b>Pharmaceutical Refrigerator</b> <i>Specifications:</i> External Size (W*D*H) mm: 620*575*1980, Capacity: 310L, Temp. Range: 2C~8C, Temp. Accuracy: 0.1C, Control System: Microprocessor Control, Large Screen LED Display, Alarm: Audible and visual alarm for: High and Low temperature, Power failure alarm, Door ajar, Thermostat failure, Refrigeration Type: Forced air refrigeration system, Refrigerant: R600a, CFC Free, Condenser and Evaporator: Bundy tube condenser, Defrost: Auto defrost, Construction (Structure): Unibody design & Mono-assembly foaming (rigid polyurethane insulation material), Construction (Internal Material): Embossed aluminum sheet, Construction (External Material): Spraying steel plate, Shelves: 5 pcs, Door: Glass door with electric heating, Consumption: 180W,		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

PR No. 23061617

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
11.	1	unit	Power Supply: AC110/220V +/- 10%, 50/60Hz, Standard Accessories: LED Lamp, USB port, Optional Accessory: Temperature Recorder, Temperature Printer (USB port cannot be selected at the same time), probe access port Package Size (W*D*H) mm: 700*650*2030, Gross Weight: 84kg  <b>Defibrillator with AED and SPO2</b> Specification: dimension (w x d x h) = 288 x 203 x 275mm, weight = 4.7kg, battery package each = 0.54kg, external paddle set = 0.86kg; water resistance = IPX4 (w/o external power), solid resistance = Ip4X, temp. operating + 0 - 45°C storage: -30 - 70°C, humidity = 10 - 95% non- condensation, shock and vibration + must meet the requirements of 21. 102, ISO 9919 (Shock and vibration for transport),		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor



Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

PR No. 23061617

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
			bump = meet requirements of 6.3.4.2, EN1789 (medical devices for use in road ambulances), free fall = requirements of 6.3.4.3, EN1789, EMC = meets IEC60601-1-1-2, safety = meets EN/IEC = 6060-1; display = TFT Color LCD, 7" dimension with 800x480 pixels in resolution, max of 3 channels of display waveforms; AC power = 100 to 240V, frequency = 50/60Hz; Battery = 15.1V, 5600mAh, rechargeable Lithium ion battery pack, charge time = less than 3hrs to 90% and less than 4hrs to 100%; Waveform: Biphasic truncated exponential waveform, with impedance compensation, Energy accuracy: +2 J or 15% of setting, whichever is greater, into 50Ohm. ; Charge Time: Less than 3 seconds to 200 Joules with a new, fully charged battery Less than 7 seconds to 3Joules with a new, fully charged battery, Shock Delivery: Via multifunction defib electrode pads,		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

**PR No. 23061617**

\_\_\_\_\_

\_\_\_\_\_

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
			or paddles, Patient Impedance Range: 25 to 300 (External defibrillation) Manual Mode Output Energy: 1,2,3,4,5,6,7,8,9,10,15,20,30,50,70,100,150,170,200,300,360 J, Synchronous Cardioversion: Energy transfer begins within 60ms of the QRS peak, Energy transfer begins within 25ms of the External Sync Pulse; AED Mode: Output Energy: User configurable, AED Shock Series: Energy level: 100 to 360 J, configurable, Shocks series: 1,2,3, configurable, Default configuration meets 2015 AHA Guidelines, Sensitivity and Specificity: Meets AAMI DF-80; Waveform: Monophasic square wave pulse, Pulse Width: 20ms or 40ms, +5%, Refractory period: 200 to 300ms, +3% (function of rate), Pacing Mode: Demand or fixed, Pacing rate: 30ppm to 2010ppm, +1.5%, Pacing output: 0mA to 200mA,		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_ Firm/Supplier/Dealer/Contractor

Bids and Awards Committee  
 Provincial Government of Camarines Norte  
 Provincial Capitol Building

Republic of the Philippines  
 PROVINCE OF CAMARINES  
 NORTE  
 Daet  
**BIDS AND AWARDS COMMITTEE**

PR No. 23061617

**Sir/Madam:**

Sealed proposals plainly marked "Proposals for P.R. No. **23061617** to the Provincial government is subject to the terms and conditions contained at the back hereof will be received at the Office of the Bids and Awards Committee, Daet, Camarines Norte on or before **August 17, 2023** and will be publicly opened at **2:00 pm** by the Members of the Bids and Awards Committee in the presence of the bidders or their authorized representatives.

**ATTY. ARCHIMEDES O. YANTO**  
 BAC Chairperson

**BID PROPOSALS**

Item	Quantity	Unit	ARTICLES	UNIT PRICE	AMOUNT
			+5% or 5mA, whichever is greater 4:1 pacing: Pacing pulse frequency reduced by factor of 4 when activated; Lead type: 3 leads ECG, 5 leads ECG, Lead Selection: 3 leads ECG:I,II,III; 5 leads ECG: I, II, III, aVR, aVL, aVF, V; Heart Rate, Display: Adult: 15 to 300 bpm, Pediatric: 15 to 350 bpm, Neonate: 15 to 350 bpm, Resolution: 1 bpm, Inclusions: electrode gel, adult electrode, brackets (5pcs/bag), 12 PIN 3/5 Lead ECG host cable Def-P, 5 LED Leadset, ADT/PED, external paddles (D6/D3) with instructions for use, quick guide, operation manual, service manual, 7 PIN SPO2 extension cable, reusable SPO2 Sensor, ADT, finger clip, thermal paper (50mm x 20m), wire power cable, grounding cable D6/D3, mobile trolley, accessory bag, cover, cardiac board, 3prong adapter, power on delay.		
<b>Sub-Total</b>			Amount in words		

*I hereby certify that the above mentioned articles are actually available on my stock. The terms and conditions contained at the back hereof are hereby accepted and the prices quoted are hereby offered.*

\_\_\_\_\_  
 Firm/Supplier/Dealer/Contractor

## **TERMS AND CONDITIONS**

1. The invitation to bid is open to all bidders which are duly licensed suppliers, manufacturers and/or distributors.
2. The bidders shall submit simultaneously three (3) separated sealed envelopes, the first envelope contains the "eligibility and technical requirements", the second envelope contains the "financial documents", on or before the specified date and time of bidding.
3. Proposals submitted after the date and time stipulated of the bids will not be entertained.
4. In case of discrepancies between: a) Bid prices in figures and in words, the latter shall prevail; b) total prices and unit prices, the latter shall prevail; c) Unit cost in the detailed estimates and unit cost in the bill of quantities, the latter shall prevail.
5. Failure to include the required bid securities as to form and amount prescribed shall automatically disqualify. The required bid securities in the form of Bid Securing Declaration, cash or cashier's/ manager's check, bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank shall not be less than 2% of the ABC, surety bond callable upon demand shall not be less than 5% of the ABC to be bid. (Section 27 of IRR-A of RA 9184).
6. Prices once quoted shall be respected. Error or mistakes in quoting is bidder's responsibility.
7. The successful bidder is required to post a performance security bond upon signing the contract. It should be in accordance with Section 39.2 of IRR of RA 9184.
8. The supplier shall be liable to pay a liquidated damage to an amount of one tenth of one percent of the remaining amount for every day of delay until such goods are finally delivered. This is in case the suppliers failed to deliver goods under the contract time within the specified delivery schedule.
9. Claims, protests or complaints shall be filed in the Office of the Head of the Procuring Entity accompanied by the payment of a non-refundable fee stated in Section 55.3 of the IRR of RA 9184, within seven (7) calendar days from the receipt of the party concerned of the resolution of the BAC denying its motion for reconsideration, otherwise, failure to submit within time limit shall not be considered.
10. The Bids and Awards Committee reserves the right to accept or reject any bid, to annul the bidding process and to reject any or all bids at any time prior to contract award, without thereby incurring any liability to the affected bidders.

(signed)  
**ATTY. ARCHIMEDES O. YANTO**  
BAC Chairperson

# Price Schedule for Goods Offered from Abroad

*[shall be submitted with the Bid if bidder is offering goods from Abroad]*

## *For Goods Offered from Abroad*

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_\_ of \_\_\_\_

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place  (specify border point or place of destination)	Total CIF or CIP price per item  (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## Price Schedule for Goods Offered from Within the Philippines

*[shall be submitted with the Bid if bidder is offering goods from within the Philippines]*

### For Goods Offered from Within the Philippines

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_ of \_\_\_

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit  (col 5+6+7+8 )	Total Price delivered Final Destination  (col 9) x (col 4)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Republic of the Philippines



Government Procurement Policy Board